ELSEVIER

Volume 237, Numbers 1–2, 15 April 1996

Journal of ALLOYS AND COMPOUNDS

Contents

Chemistry

Growth of cerium(IV) oxide films by the electrochemical generation of base method 1
Y. Zhou (Shenyang, China), J.A. Switzer (Rolla, MO, USA)

Molar volume and ionic conduction in molten $LaBr_3$ 6
K. Fukushima, Y. Iwadate (Chiba, Japan)

The magnetic structures of the mixed layer pnictide oxide compounds $Sr_2Mn_3Pn_2O_2$ (Pn = As, Sb) 9
S.L. Brock (Davis, CA, USA), N.P. Raju, J.E. Greedan (Hamilton, Canada), S.M. Kauzlarich (Davis, CA, USA)

Thermodynamic assessment of the Al–Ni system 20
Y. Du, N. Clavaguera (Barcelona, Spain)

On the stoichiometry, space group and polymorphism of $TlCu_7S_4$ 33
R. Berger, L. Norén (Uppsala, Sweden)

Studies on peroxomolybdates. XIX. Crystal structure of potassium heptaoxotetraperoxotrimolybdate(VI)–water(1/2) $K_4[Mo_3O_7(O_2)_4]\cdot 2H_2O$ 39
R. Stomberg, S. Olson (Göteborg, Sweden)

Synthesis of substituted M- and W-type barium ferrite nanostructured powders by stearic acid gel method 45
X. Wang, D. Li, L. Lu, X. Wang (Nanjing, People's Republic of China)

Thallium uranates and other (Tl,U,O) compounds: a structural and thermodynamic study 49
S.K. Sali, V.S. Iyer, K. Jayanthi, S. Sampath, V. Venugopal (Bombay, India)

Physics

Structure and magnetostriction of $R(Fe_{1-x}Al_x)_2$ alloys ($R = Dy_{0.65}Tb_{0.25}Pr_{0.1}$) 58
B.W. Wang, C.H. Wu (Shenyang and Guangzhou, People's Republic of China), Y.C. Chuang (Shenyang and Guangzhou, People's Republic of China), X.M. Jin (Shenyang, People's Republic of China), J.Y. Li (Beijing, People's Republic of China)

Investigations of the solid solution $NdMn_{2-x}Fe_xGe_2$ ($x = 0.1$–1.4) by magnetic measurements and neutron diffraction . . 61
G. Venturini, B. Malaman (Vandoeuvre les Nancy, France), E. Ressouche (Grenoble, France)

Hydrogen sorption kinetics in partly oxidized Mg films 74
P. Hjort, A. Krozer, B. Kasemo (Göteborg, Sweden)

Characterization of magnetron-sputtered ε iron-nitride films 81
M. Niederdrenk, P. Schaaf, K.-P. Lieb, O. Schulte (Göttingen, Germany)

Materials Science

A new composite crystal of $[Ba]_x[(Pt, Cu)O_3]$ ($x = 1.317$) grown by the flux method using CuO as flux 89
T. Shishido, K. Ukei, T. Fukuda (Sendai-shi, Japan)

HDDR behaviour of Nb-containing Nd–Fe–B near-stoichiometric alloys 93
F.M. Ahmed, A. Ataie, I.R. Harris (Birmingham, UK)

Investigation of phase composition and remanence enhancement in rapidly quenched $Nd_9(Fe, Co)_{85}B_6$ alloys 101
A.M. Gabay, A.G. Popov, V.S. Gaviko, Ye.V. Belozerov, A.S. Yermolenko, N.N. Shchegoleva (Ekaterinburg, Russia)

Nitrogenation process of Sm_2Fe_{17} 108
H. Sun, T. Tomida (Amagasaki, Japan), K. Makita (Osaka, Japan), Y. Maehara (Amagasaki, Japan)

Detailed SEM studies of the HDDR behaviour of direct-reduced $Nd_{15}Fe_{77}B_8$ and $Nd_{15}Fe_{77-x}B_8Ga_x$ powders 113
C. Burkhardt (Birmingham, UK), M. Steinhorst (Essen, Germany), I.R. Harris (Birmingham, UK)

Elsevier Science S.A.

Metallurgy

The phase diagram of the Sc–Cd system 121
A. Palenzona, P. Manfrinetti (Genova, Italy)

Analysis of phase equilibria in R–T–X systems and analysis of the size factor in the RT_2X_2, RTX_3, RTX_2 ($R_2T_3X_5$), RTX and R_2XT_3 compounds (R = rare earths (Ce,Gd,Sm,Eu,Yb); T = transition metals (Fe,Co,Ni,Ru,Rh,Pd,Pt); X = Si,Ge) 124
A.V. Morozkin, Yu.D. Seropegin (Moscow, Russia)

Relationship between bonding characteristics and mechanical properties of $L1_2$ intermetallics 139
C.G. Meng (Dalian, People's Republic of China), J.T. Guo, Z.Q. Hu (Shenyang, People's Republic of China)

The Sm–Ag–Al system 144
O.V. Zhak, B.M. Stel'makhovych, Yu.B. Kuz'ma (L'viv, Ukraine)

Electrochemical deoxidation of yttrium–oxygen solid solutions 150
T.H. Okabe, T.N. Deura, T. Oishi, K. Ono, D.R. Sadoway (Kyoto, Japan)

Gallium + lead system: molar heat capacity and miscibility gap 155
M. Mathon, J.M. Miane, P. Gaune, M. Gambino, J.P. Bros (Marseille, France)

Author Index of Volume 237 165

Subject Index of Volume 237 167

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.